

# Intelligent Hybrid Control of Piezoelectric Actuated Micro Robot

Y. Sabzehmeidani, M. Hussein, M. Mailah, M.Z. Md Zain, M.R. Abdullah

**Abstract**— In this paper, a piezoelectric micro robot is modelled and simulated based on hybrid fuzzy-based controller operating in a constrained environment (pipe). A mathematical model that represents the dynamic characteristics of micro robot is first presented. Then, the dynamic response of the robot system subjected to different input excitations is investigated. Different types of controllers are integrated into this system via a proportional-integral-derivative (PID) controller, the sliding mode controller (SMC) and active force control (AFC) method which incorporates a fuzzy logic (FL) algorithm. The primary objective of the scheme is to ensure accurate trajectory tracking control of the micro robot system is achieved. The performance of the control system under different types of disturbances is evaluated through a rigorous simulation study. The obtained results clearly demonstrate an effective trajectory tracking capability of the worm-like micro robot in spite of the negative effects of the external disturbances.

**Keywords**— Active force control, fuzzy logic, micro robot, sliding mode control

## I. INTRODUCTION

Nowadays micro robots are widely used in a number of engineering applications since robots of this type may be able to operate in unstructured environment thanks to their enhanced adaptability to effectively operate even under hostile conditions such as radioactivity, electromagnetic field and high temperature gradients. One such application of interest is the operation of micro robot in a pipe line that can perform a number of tasks such as in-pipe inspection, fault diagnostics, condition monitoring and obstacle removal. Some basic research on mobile mechanisms for use in pipes has been reported in which many are driven by piezoelectric actuators [1]-[4], giant magnetostrictive actuators [5],[6], pneumatic actuators [7]-[9], or electromagnetic actuators [10].

Research and development on the use of piezo actuators and micro mechanisms for micro robots has been actively carried out [11],[12]. Compared to other actuators, the piezoelectric type proves to be more promising and practical because of its high power and better response. A number of piezoelectric actuators have been proposed, such as those based on stacked, bimorph and uni morph configurations. Characteristics of the new piezoelectric linear step locomotive mechanism for an in-pipe micro inspection robot were studied [13]. It can move not only in a straight pipe but also through a curved or bent configuration.

In this research, a micro robot with hybrid fuzzy-based controller is modelled and simulated for in-pipe application. A mathematical model that justifies the dynamic characteristics of the micro robot is first presented. Then, the dynamic response of the robot system subjected to different input excitations is investigated. A PID controller which is implemented with SMC is applied to the micro robot system to follow the desired trajectory, while an AFC controller is utilized to reject the unwanted disturbances which may be created due to friction forces or fluid viscosity in the pipe. An intelligent method like fuzzy logic (FL) is used to find the AFC parameters. The performance of the control system under different types of disturbances is evaluated through a rigorous simulation study presented in this paper.

## II. ROBOT MODELLING

### A. Motion Mechanism

Mechanism of motion for this micro robot is derived from a mechanism which named Impact Drive Mechanism (IDM). This is a method for moving an object under friction by impulsive force. It utilizes static friction and impulsive force caused by the rapid displacement of an actuator. The motion mechanism basically consists of three parts: the main body, actuator and the inertial weight. When the actuator makes rapid extension or contraction, a strong inertial force is generated and the main body is moved against static friction. When the actuator makes slow retraction, the inertial force could be smaller than static friction so that the main body keeps the position. Repeating those fast and slow actuator displacements carries out the motion.

The mechanism is able to control the minute motion of several nanometer and at the same time has virtually unlimited movable range. The mechanism can be extended to multiple degree-of-freedom systems with multiple actuators and counter weights. The IDM is considered to be a suitable mechanism for micro systems since its construction is quite simple.

Fig. 1 shows a basic motion principle of the piezo IDM. The motion mechanism consists of three components: the main body, the actuator and the inertial weight. The main body is laid down on the guiding surface with only the friction acting between the surfaces. On one end of the main body, an actuator is attached. The weight does not touch the surface. Making slow extension and rapid contraction can carry out motion toward the other direction.




Fig. 1 Principle of operation (towards left)

### B. Dynamic Modelling

In this research, a typical static friction model is selected to express the frictional coefficient induced in the interface between elastic feet of the robot and inner wall of the pipe. The frictional force  $F_f$  can be expressed as:

$$F_f = \left[ \mu_k + (\mu_s - \mu_k) \exp\left(\frac{1}{\dot{x}} \ln\left(\frac{-\mu_k}{\mu_s - \mu_k}\right)\right) \right] F_n \quad (1)$$

where  $\mu_s$ ,  $\mu_k$  represent the static and kinetic frictional coefficients,  $F_n$  represents the total normal force acting on the sliding surface, and includes the pre-pressure and the weight of entire body of the in-pipe robot. The governing equations are therefore derived from the free-body diagram as the following two coupled equations:

$$m_1 \ddot{x}_1 = -k_p(x_1 - x_2) - C_p(\dot{x}_1 - \dot{x}_2) - F_p + F_f \quad (2)$$

$$m_2 \ddot{x}_2 = k_p(x_1 - x_2) + C_p(\dot{x}_1 - \dot{x}_2) + F_p \quad (3)$$

Where  $m_1$  and  $m_2$  respectively represent the masses of the main body and the weight, and their corresponding displacements are expressed as  $x_1$  and  $x_2$ . The stiffness and damping coefficients of the piezoelectric actuator are symbolized as  $k_p$  and  $C_p$ , respectively.  $F_p$  is the piezoelectric force and  $F_f$  is the frictional force. The IDM could be regarded as a mechanical vibration system with two degree-of-freedom. Equations (4) and (5) are used for describing the dynamic behavior after applying Laplace method with initial conditions,  $t = 0$ ,  $F_f = F_p = 0$  for both sides of (2) and (3).

$$m_2 s^2 X_2 = (k_p + C_p s) X_1 - (k_p + C_p s) X_2 + F_p(s) \quad (4)$$

and

$$m_1 s^2 X_1 = k_p(X_2 - X_1) + C_p s(X_2 - X_1) - F_p(s) + (\mu_s - \mu_k)(m_1 + m_2 + m_p)g \frac{\mu_s - \mu_k}{\ln\left(\frac{\mu_k}{\mu_s - \mu_k}\right)} \quad (5)$$

Where  $m_p$  is the actuator mass.

By deriving  $X_2$  from (4) and inserting in (5), we have:

$$m_1 s^2 X_1 = k_p \left( \frac{(k_p + s C_p) X_1 + F_p(s)}{m_2 s^2 + C_p s + k_p} - X_1 \right) + C_p s \left( \frac{(k_p + s C_p) X_1 + F_p(s)}{m_2 s^2 + C_p s + k_p} - X_1 \right) - F_p(s) + (\mu_s - \mu_k)(m_1 + m_2 + m_p)g \frac{\mu_s - \mu_k}{\ln\left(\frac{\mu_k}{\mu_s - \mu_k}\right)} \quad (6)$$

Finally, the transfer function for this system can be obtained as:

$$T.F = \frac{X_1}{F_p(s)} = \frac{m_2 s^2 + \left( 2C_p + \frac{(\mu_s - \mu_k)(m_1 + m_2 + m_p)g}{\ln\left(\frac{\mu_k}{\mu_s - \mu_k}\right)} \right) s + 2k_p}{m_1 m_2 s^4 + m_2 \left( C_p \frac{(\mu_s - \mu_k)(m_1 + m_2 + m_p)g}{\ln\left(\frac{\mu_k}{\mu_s - \mu_k}\right)} \right) s^3 + C_p k_p s + [k_p(m_1 + m_2) + C_p m_1]} \quad (7)$$

This dynamic model will be incorporated into the proposed micro robot controller schemes, namely the PID and the AFC controller implemented with FL.

### III. CONTROL SCHEME

We applied three input sources in the form of step, square and saw-tooth input functions via feedback control techniques in order to determine the system responses. Three types of controllers, namely the PID, intelligent SMC, and AFC controllers shall be applied and incorporated into the micro robot system.

#### A. PID Controller

Proportional-Integral-Derivative (PID) control is the most commonly used control algorithm in industry and has been universally accepted in industrial control. The popularity of PID controllers can be attributed partly to their robust performance in a wide range of operating conditions and partly to their functional simplicity, which allows engineers to operate them in a simple, straightforward manner. A schematic diagram of a system employing a PID controller is shown in Fig. 2.




Fig. 2 Schematic diagram of a system with PID controller

The basic idea behind a PID controller is to read a sensor, then compute the desired actuator output by calculating the proportional, integral, and derivative responses and summing

those three components to compute the output. The PID controller calculation (algorithm) involves three separate parameters; the proportional, integral and derivative terms. The PID control algorithm is given as follows:

$$G_{PID} = K_P + \frac{K_I}{s} + K_D s \quad (8)$$

Where  $K_P$ ,  $K_I$ , and  $K_D$  are the proportional, integral, and derivative gains, respectively. In this study, the Ziegler–Nichols method is employed to tune the PID parameters. The final gains including  $K_P = 50$ ,  $K_I = 10$ , and  $K_D = 8$ . For simulating, we assume the parameters of micro robot as shown in Table I. The resultant tracking control based on the gains can be seen in Fig. 3 and these gains shall be used throughout the simulation study.

parameter	value	parameter	value
$m_1$	425 g	$C_P$	4.5 kg/s
$m_2$	120 g	$k_P$	15kN/m
$m_P$	60 g	$g$	9.8 m/s <sup>2</sup>
$\mu_s$	0.4	$\mu_k$	0.2




Fig. 3 Performance of PID controller for (a) step, (b) sine wave, and (c) square input functions

### B. Sliding Mode Control

Variable structure system (VSS) with sliding mode control (SMC) was first proposed and elaborated in the early 1950's in the Soviet Union by Emelyanov and co-researchers. Firstly, this method is well known for solving a number of specific control tasks involving second order linear and nonlinear systems [14]. SMC is an important robust control approach to preserve the stability of the system.

In recent years, sliding mode control (SMC) has been widely adopted in control science because of simple design method, wide stability, good dynamic response and insensitivity to kind of uncertainties which are based on external disturbances [15].




Fig. 4. Schematic diagram of a SMC scheme

The purpose of SMC is to control the nonlinearities or uncertainties of a system. To do this, we can linearize the system and then apply the best control technique for the system or find a nonlinear transformation which will convert the system into controllable canonical form (CCF) where the controller design is expedited. The SMC system is determined by the sliding mode dynamics, which is not in the same order with that of the original system. This was the reason which leads to the introduction of the robust controller design with sliding surface. In fact, the system in the sliding mode has less order than the original system except when a compensator is designed for the sliding mode system [16].

The SMC design approach consists of two components. The first involves the design of a switching function. The second is concerned with the selection of a control law which will make the switching function attractive to the system state. Consider the following uncertain dynamical system:

$$\begin{aligned} \dot{\mathbf{x}}(t) &= \mathbf{A}\mathbf{x}(t) + \mathbf{B}\mathbf{u}(t) + \mathbf{E}\mathbf{d}(t), \\ \mathbf{Y}(t) &= \mathbf{C}\mathbf{x}(t) \end{aligned} \quad (9)$$

Where  $\mathbf{x}(t)$  is the state vector,  $\mathbf{u}(t)$  is the control input vector,  $\mathbf{Y}(t)$  is the output,  $\mathbf{d}(t)$  is the external disturbance vector, and  $\mathbf{A}$ ,  $\mathbf{B}$ ,  $\mathbf{C}$  and  $\mathbf{E}$  are constant matrices, respectively. The system is in sliding mode when the state lies, slides and remains on the sliding surface after some finite time, i.e.,  $\mathbf{S}(t) = \mathbf{G}\mathbf{x}(t) = 0$ , where  $\mathbf{S}(t)$  is sliding surface and  $\mathbf{G}$  is a constant matrix. The above condition should be satisfied during sliding mode. Thus, we have:

$$\begin{aligned} \dot{\mathbf{S}}(t) &= \mathbf{G}\dot{\mathbf{x}}(t) = \mathbf{G}\mathbf{A}\mathbf{x}(t) + \mathbf{G}\mathbf{B}\mathbf{u}(t) + \\ &\mathbf{G}\mathbf{E}\mathbf{d}(t) = 0 \end{aligned} \quad (10)$$

where  $\mathbf{U}(t)$  is defined as:

$$\mathbf{U}(t) = -[(\mathbf{GB})^{-1}\mathbf{GA}\mathbf{x}(t) + (\mathbf{GB})^{-1}\mathbf{GE}d - r\mathbf{S}(t)/|\mathbf{S}(t)|] \quad (11)$$

where it is assumed that  $\mathbf{GB}$  is non-singular.

For this study related to Equation (11) we derived the constant matrices as:

$$\mathbf{A} = \begin{bmatrix} -0.328 & 0.965 & -0.005 \\ 13.34 & -0.266 & -9.87 \\ 0 & 0 & -4.49 \end{bmatrix}, \quad \mathbf{B} = 4.49,$$

$$\mathbf{C} = \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}, \quad \mathbf{G} = 0.222,$$

$$\mathbf{E} = \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & \sin(t) & 0 \end{bmatrix}, \quad r = 17.04$$

The controller parameter is derived by inserting these matrices into Equation (11) and the simulation results for system under disturbance are shown in Fig. 9.

### C. AFC Controller

Use The research on active force control (AFC) is initiated by Johnson (1971) and later Davison (1976) based on the principle of invariance and the classic Newton's second law of motion [17],[18]. It has been demonstrated that it is possible to design a feedback controller that will ensure the system set point remains unchanged even in the presence of the disturbances or adverse operating and loading conditions provided that the actual disturbances can be modelled effectively. Hewit and Burdess (1981) proposed a more complete package of the system such that the nature of disturbances is oblivious to the system and that it is readily applied to multi-degree of freedom dynamic systems [19]. Thus, an effective method has been established to facilitate robust motion control of dynamical systems in the presence of disturbances, parametric uncertainties and changes that are commonly prevalent in the real-world environment. Usefulness of the method was extended by introducing intelligent mechanisms to approximate the mass or inertia matrix of the dynamic system to trigger the compensation effect of the controller [20].

The AFC method is a technique that relies on the appropriate estimation of the inertial or mass parameters of the dynamic system and the measurements of the acceleration and force signals induced by the system if practical implementation is ever considered. For theoretical simulation, it is normal that perfect modelling of the sensors is assumed and that noises in the sensors are totally neglected. In AFC, it is shown that the system subjected to a number of disturbances remains stable and robust via the compensating action of the control strategy. A more detailed description on the mathematical treatment related to the derivation of important

equations and stability criterion [18]. For brevity, the underlying concept of AFC applied to a dynamic rotational system is presented with reference to Fig. 5.




Fig. 5 schematic diagram of an AFC scheme

The notations used in Fig.5 are as follows:

- $G(s)$  : Dynamic system transfer function
- $G_a(s)$  : Actuator transfer function
- $G_c(s)$  : Outer loop controller
- $K_{AFC}$  : AFC constant
- $H(s)$  : Weighting function
- $F$  : Applied force
- $F^*$  : Estimated force
- $m$  : Estimated mass
- $a$  : Linear acceleration

The estimated disturbance is obtained by considering the following expression:

$$F^* = F - m a \quad (12)$$

$F$  can be readily measured by means of a force sensor and  $a$  using an accelerometer.  $m$  may be obtained by assuming a perfect model, crude approximation or intelligent methods [21].  $F^*$  is then passed through a weighting function  $H(s)$  to give the ultimate AFC signal command to be embedded with an outer control loop. This creates a two degree-of-freedom controller that could provide excellent overall system performance provided that the measurement and estimated parameters were appropriately acquired. The outer control loop can be a proportional-integral-derivative (PID) controller, resolved motion acceleration controller (RMAC), intelligent controller or others deemed suitable. It is apparent that a suitable choice of  $H(s)$  needs to be obtained that can cause the output to be made invariant with respect to the disturbances such that:

$$G_a(s)H(s) = 1 \quad (13)$$

A set of outer control loop control is applied to the above open loop system, by first generating the world coordinate error vector, which would then be processed through a controller function,  $G_c(s)$ , typically a classic PID controller. The main computational burden in AFC is the multiplication of the estimated inertial parameter with the angular acceleration of the dynamic component before being fed into the AFC feed forward loop. The effectiveness of the AFC

scheme applied to rigid robot arms have demonstrated [20],[22]. Robust intelligent AFC method that is capable of controlling a vehicle suspension system and effectively suppressing the introduced disturbances has shown in [23].

A useful point to note is that, the constant  $K_{AFC}$  can effectively serve as a mode switch between the PID only scheme or PID and SMC method plus intelligent AFC method by simply setting the  $K_{AFC}$  to 0 or 1, respectively. The in-between value of  $K_{AFC}$  can also be experimented to show the effect of percentage  $K_{AFC}$  which however is not covered in this study.

#### D. Fuzzy Logic

The concept of applied FL was pioneered by Lotfi Zadeh in the mid-60s. A fuzzy controller is an expert control system skilled in performing smooth interpolation between hard boundary crisp rules [24]. The basic FL concept is shown in Fig. 6.




Fig. 6 Fuzzy logic concept

Fuzzification is the first step of the FL in which crisp input values are transformed into fuzzy input involving the construction of suitable membership functions representing the fuzzy sets. The next step is process of rules evaluation that normally in the form of linguistic statements (e.g., if then rules) to determine the dynamics of the controller as a response to the given fuzzy inputs. It is then passed through a defuzzification process using an averaging technique to produce crisp output values. The main goal of using the fuzzy logic in the study is to approximate the estimated mass,  $M$  intelligently so that it can be used by the AFC method to affect its control strategy. The design procedure of the fuzzy controller used in the study is described as follows:

1. Membership functions representing the input (position) and output (estimated mass) of the FL component are determined as part of the fuzzification process. Approximate values within specific bound are achieved based on crude approximation. The functions utilized in the study can be seen in Fig. 7.
2. A set of rules is designed in the form of *if-then* structure. In the study, we use Mamdani fuzzy inference system. An example is given as follows: IF Error L and Error Rate M THEN  $M$  is G




Fig. 7 Membership functions for (a) Error, (b) Error Rate and (c) Mass

The above statement implies that if the difference between input and output as Error is low and Error Rate is medium, then the estimated mass ( $M$ ) of system is good (G). For FL method, the output range of the estimated mass is set from 20 to 200 grams.

3. A crisp output is acquired through a defuzzification process using an averaging technique called *centroidal* or *centre of gravity* method and is described by the following equation:

$$\bar{x} = \frac{\int \mu_x(x)xdx}{\int \mu_x(x)dx} \quad (11)$$

In this research, FL controller is developed using the Fuzzy Logic Toolbox (FLT) to be used with MATLAB and Simulink. Once the FL 'black box' is appropriately designed, it is embedded in the overall control strategy as depicted in Fig. 8.




Fig. 8 Proposed fuzzy-based AFC scheme

The linguistic labels used to describe the fuzzy sets were ‘Very Low’ (VL), ‘Low’ (L), ‘Medium’ (M), ‘High’ (H), ‘Very High’ (VH), ‘Good’ (G), ‘Bad’ (B), ‘Excellent’ (E). The interface rules relating the input to the output of the estimator are defined as follows:

1. If (Mass is Very Low) and (Mass rate is Good) Then ( $K_{AFC}$  is Excellent)
2. If (Mass is Very Low) and (Mass rate is Medium) Then ( $K_{AFC}$  is Excellent)
3. If (Mass is Very Low) and (Mass rate is Bad) Then ( $K_{AFC}$  is Good)
4. If (Mass is Low) and (Mass rate is Good) Then ( $K_{AFC}$  is Excellent)
5. If (Mass is Low) and (Mass rate is Medium) Then ( $K_{AFC}$  is Good)
6. If (Mass is Low) and (Mass rate is Bad) Then ( $K_{AFC}$  is Medium)
7. If (Mass is Medium) and (Mass rate is Good) Then ( $K_{AFC}$  is Good)
8. If (Mass is Medium) and (Mass rate is Medium) Then ( $K_{AFC}$  is Medium)
9. If (Mass is Medium) and (Mass rate is Bad) Then ( $K_{AFC}$  is Bad)
10. If (Mass is High) and (Mass rate is Good) Then ( $K_{AFC}$  is Medium)
11. If (Mass is High) and (Mass rate is Medium) Then ( $K_{AFC}$  is Bad)
12. If (Mass is High) and (Mass rate is Bad) Then ( $K_{AFC}$  is Very Bad)
13. If (Mass is Very High) and (Mass rate is Good) Then ( $K_{AFC}$  is Bad)
14. If (Mass is Very High) and (Mass rate is Medium) Then ( $K_{AFC}$  is Very Bad)
15. If (Mass is Very High) and (Mass rate is Bad) Then ( $K_{AFC}$  is Very Bad)

The fuzzy interface system (FIS) considered was chosen to be of *Mamdani* type and the centroidal method was used for defuzzification. The fuzzy rules are extracted from fundamental knowledge and human experience about the process. These rules contain the input/the output relationships that define the control strategy.

#### IV. SIMULATION AND DISCUSSION

The applied disturbance considered in the study is a harmonic force that emulates a constant vibratory excitation with a magnitude of 20 N and frequency, 25 rad/s, i.e., according to the following function,  $20 \sin 25t$ .

For simulating the proposed control schemes, i.e., PID, SMC, and intelligent AFC, a number of input sources as the commanded or referenced trajectories were considered that are related to step, saw tooth and pulsating square wave forcing functions. The responses to these inputs are shown in Fig. 9.




Fig. 9 Effect of harmonic disturbance on system response of different controllers for various input conditions

From Fig. 9, it can be seen that the PID controller is able to perform the trajectory tracking task satisfactorily by bringing the responses to converge to the reference positions but at the expense of relatively large tracking errors with substantial ripples or oscillation, largely due to the nature of the applied disturbance (vibratory). Responses of system under the given disturbance with SMC controller shows that the latter system is much more robust than its counterparts in compensating the

harmonic disturbance at relatively high frequency but not as much as using intelligent AFC loop to reject unwanted disturbance of system. The proposed piezoelectric actuated micro robot is able to operate effectively based on the closed-loop control configuration with the given loading and operating conditions

## V. CONCLUSION

A piezoelectric worm-like micro robot has been modelled and simulated incorporating a hybrid control strategy, i.e., SMC-PID scheme which is incorporated with a fuzzy-based AFC method. This hybrid control strategy is employed to ensure an accurate and robust trajectory tracking of the robot system under the presence of the prescribed disturbances and operating environment. The PID controller was initially tuned using the typical *Ziegler-Nichols* method so as to achieve satisfactory performance. AFC control strategy is used to produce robust tracking performance when the system is under disturbance in which the estimated mass parameter was intelligently computed using the FL method. The simulation results clearly demonstrated the effectiveness of the closed-loop control algorithms, particularly the PID with SMC methods combined with the intelligent AFC strategy. Future works may include the rigorous study on the sensitivity analysis related to the effects of other loading and operating conditions. The possibility of performing practical experimentation on the micro robot system should also be explored and investigated.

## ACKNOWLEDGMENT

The authors would like to thank the Malaysian Ministry of Science, Technology and Innovation (MOSTI) and Universiti Teknologi Malaysia (UTM) for their continuous support in the research work. This work was financial supported in part by the Malaysia eSciences Fund under grant number Vot. 79338.

## REFERENCES

- [1] Aoshima, S., Tsujimura, T., & Yabuta, T. (1993). A miniature mobile robot using piezo vibration for mobility in a thin tube. *ASME J. Dynam. Syst.*, 115, 270-278.
- [2] Idogaki, T., Kanayama, H., Ohya, N., Suzuki, H., & Hattori, T. (1995). Characteristics of piezoelectric locomotive mechanism for an in-pipe micro inspection machine. *IEEE 6th Int. Symp. Micro Machine and Human Sciences*, (pp. 193–198).
- [3] Patric, P., Popa, F., Ardeleanu, M., (2010). Control of Automatic Drilling Operations with Micro-robots. *WSEAS 10th Int. Conf. Robotics, Control and Manufacturing Technology*, (pp. 123–127).
- [4] S. Kazi, A. As'Arry, M. Z. Md. Zain, M. Mailah, M. Hussein, (2010). Experimental Implementation of Smart Glove Incorporating Piezoelectric Actuator for Hand Tremor Control. *WSEAS Transactions on Systems and Control*, (pp. 443-453)
- [5] Fukuda, T., Hosokai, H., Ohyama, H., Hashimoto, H., & Arai, F. (1991). Giant magnetostrictive alloy (GMA) applications to micro mobile robot as a micro actuator without power supply cables. *IEEE Int. Workshop Micro Electro Mechanical Systems (MEMS)*, (pp. 210–215).
- [6] J. K. Sakellaris, (2008). Finite Element Analysis of Micro – Electro – Mechanical Systems: Towards the integration of MEMS in design and robust optimal control schemes of smart microstructures, *WSEAS Transactions on Applied and Theoretical Mechanics*, (pp. 114-124)
- [7] Suzumori, K., & Abe, T. (1993). Applying a flexible microactuators to pipeline inspection robots. *IMACS/SICE Int. Symp. Robotics and Manufacturing Systems*, (pp. 515–520). The Netherlands.
- [8] Takahashi, M., I.Hayashi, N.Iwatsuki, Suzumori, K., & Ohki, N. (1994). The development of an in-pipe microrobot applying the motion of an earthworm. *IEEE 5th Int. Symp. Micro Machine and Human Sciences*, (pp. 35–40).
- [9] F. Kiyama, E. Varagas, (2005). Dynamic Model Analysis of a Pneumatically Operated Flexible Arm, *4th WSEAS International Conference on Signal Processing, Robotics and Automation*, (pp. 152-158)
- [10] Iwashita, S., Hayashi, I., Iwatsuki, N., & Nakamura, K. (1994). Development of in-pipe operation micro robots. *IEEE 5th Int. Symp. Micro Machine and Human Sciences*, (pp. 41–45).
- [11] Bart, S., Lober, T., Howe, R., Lang, J., & Schlecht, M. (1988). Design Considerations for Microfabricated Electric Actuators. *14* (3), 269-292.
- [12] Hayashi, T. (2000). *Research and Development of Micromechanisms* (Vol. 1). Journal of ultrasonics.
- [13] Idogaki, T., Kanayama, H., Ohya, N., Suzuki, H., & Hattori, T. (1995). Characteristics of piezoelectric locomotive mechanism for an in-pipe micro inspection machine. *IEEE 6th Int. Symp. Micro Machine and Human Sciences*, (pp. 193–198).
- [14] Q. P. Ha, Q. H. Nguyen, D. C. Rye, and H. F. Durrant-Whyte, Fuzzy sliding-mode controllers with applications. *IEEE Trans On Industrial Electronics*, 2001,48 (1), pp. 38-46.
- [15] F. Xu and H. Ma, Third order sliding mode controller for buck inverter. *IEEE Conference*, pp. 1021-1026.
- [16] A. J. Khoshkooei and K. J. Burnham, Control of DC motors Using Proportional Integral Sliding Mode, *IMECS 2009*, pp. 1286-1290.
- [17] Johnson, C. (1971). Accomodation of external disturbances on linear regulator and servomechanism problems. *IEEE Trans. Automat. Control* , 635-644.
- [18] Davison, E. (1976). Multivariable Tuning Regulators: The Feedforward and Robust Control of a General Servomechanism Problem. *IEEE Trans. Automat. Control*, 35-47.
- [19] Hewit, J. R., & Burdess, J. S. (1981). Fast Dynamic Decoupled Control for Robotics using Active Force Control. *Trans. Mechanism and Machine Theory* , 535-542.
- [20] Mailah, M., & Ong, M. (2001). Intelligent Adaptive Active Force Control of A Robot Arm With Embedded Iterative Learning Algorithms. (pp. 85-89). Jurnal Teknologi (A).
- [21] Pitowarno, E., Mailah, M., & Jamaluddin, H. (2002). Knowledge-Based Trajectory Error Pattern Method Applied to An Active Force Control Scheme. *International Journal of Engineering and Technology*, 2, 1-15.
- [22] Mailah, M. (1998). *Intelligent Active Force Control of a Rigid Robot Arm Using Neural Network and Iterative Learning Algorithms*. University of Dundee: UK: Ph.D Thesis.
- [23] Priyandoko, G., & Mailah, M. (2007). Simulation of A Suspension System With Adaptive Fuzzy Active Force Control. *International Journal on Simulation Modelling*, 6, 25-36.
- [24] Jamshidi, M., Vadiiee, N., J.Ross, T., Fuzzy Logic and Control, Prentice-Hall International, Inc., 1993.

**Yaser Sabzehmeidani** was born in Babol, Iran, in 1983. He received the B.S. and M.S. degrees in Mechanical Engineering from the University of Mazandaran, Babol, Iran, in 2006 and 2008, respectively. He is currently working towards a Ph.D degree in Mechanical Engineering and pursuing a research in intelligent control of micro robots for pipe applications at the Universiti Teknologi Malaysia (UTM), Johor, Malaysia, since 2008.

**Mohamed Hussein** graduated from UTM with a Bachelor degree in Mechanical Engineering in 1987 and acquired Masters of Science in Advanced Manufacturing System and Technology from University of Liverpool, UK in 1992. He completed his PhD at the De Montfort University, UK (Leicester) in 2008 in the field of Machine Control and Mechatronics. He is currently the Head of Control and Automation Panel at the Faculty of Mechanical Engineering, UTM. His research interests in Mechatronics include machine control, robotics, real-time virtual control and industrial automation.

**Musa Mailah** received his BEng degree in Mechanical Engineering from UTM in 1988 and later his MSc and PhD in Robotic Control and Mechatronics from the University of Dundee, UK in 1992 and 1998, respectively. Currently, he is a Professor and Head of Department of Systems and Control, Faculty of Mechanical Engineering, UTM. His current research interests are robotics, intelligent systems, applied mechatronics and active force control of dynamical systems.

**Mohd Zarhamdy Md Zain** received his BEng degree in Mechanical Engineering from UTM in 1999 and later his MSc and PhD in Control Engineering from the University of Sheffield, UK in 2002 and 2006 respectively. Currently, he is a Senior Lecturer in the Department of Systems and Control, Faculty of Mechanical Engineering, UTM. His current research interests are control, automation and mechatronics.

**Mohamed Ruslan Abdullah** graduated from UTM with a Bachelor degree in Mechanical Engineering in 1987 and acquired Masters of Science in Manufacturing System Engineering from University of Warwick UK in 1991. He completed his PhD at University of Liverpool, UK in 2006 in the field of Composites Material. He is currently a Senior Lecturer in the Department of Mechanics and Design, Faculty of Mechanical Engineering, UTM. His current research interests are system design, composites material and impact.